

Claims

1. Combination of a writing device, comprising a substantially flat writing member which is provided with a writing tip, and at least a clamping device connected to the writing device for clamping the writing member in an edge area of a flat material, the clamping device comprising at least a first elongated leg and a second elongated leg which extend substantially parallel to an edge of the writing member facing thereto, **characterised in that** the writing member and the clamping device take a fixed position relative to each other.
2. Combination according to claim 1, **characterised in that** the first leg of the clamping device at an end thereof is connected to the writing member, and in that the second leg of the clamping device at an end thereof is connected to the writing member.
3. Combination according to claim 1, **characterised in that** the first leg of the clamping device at a first end thereof is connected to the writing member, in that the second leg of the clamping device at a first end thereof is connected to the writing member, and in that a second end of the first leg is connected to a second end of the second leg.
4. Combination according to claim 2 or 3, **characterised in that** the first leg and the second leg of the clamping device are connected to the writing member near the writing tip thereof.
5. Combination according to claim 1, **characterised in that** the first leg of the clamping device at a first end thereof is connected to the writing member, in that the second leg of the clamping device at an end thereof is connected to a second end of the first leg, and in that a second end of the second leg is free.
6. Combination according to claim 5, **characterised in that** the first end of the first leg of the clamping device is connected to the writing member near the writing tip thereof.

- 5
7. Combination according to claim 5, **characterised in that** the first end of the first leg of the clamping device is connected to a part of the writing member facing away from the writing tip.
8. Combination according to any of the preceding claims, **characterised in that** the writing member and the clamping device extend substantially in a same plane.
- 10
9. Combination according to any of the preceding claims, **characterised in that** the clamping device has a rigid/fixed connection with the writing member.
- 15
10. Combination according to any of the preceding claims, **characterised in that** the writing tip is situated outside of the area of the clamping device.
- 20
11. Combination according to any of the preceding claims, **characterised in that** the writing member over at least a part of the circumference thereof is provided with a groove for a detachable connection to a tongue part of the clamping device.
- 25
12. Combination according to any of the preceding claims, **characterised in that** the writing member over at least a part of the circumference thereof is provided with a tongue part for a detachable connection to a groove of the clamping device.
- 30
13. Combination according to any of the preceding claims, **characterised in that** the clamping device is provided with parts, surfaces or edges thereof whereby the writing device at least a part thereof can be enclosed for a detachable connection with a part, surface, edge or recess of the writing member.
- 35
14. Combination according to any of the preceding claims, **characterised in that** the writing member is equipped with parts, surfaces or edges thereof whereby the writing device at least a part

thereof can be enclosed for a detachable connection with a part, surface, edge or recess of the clamping device.

- 5 15. Combination according to claim 13 or 14, **characterised in that** the enclosure comprises a partial or discontinuous envelopment.
- 10 16. Combination according to any of the preceding claims, **characterised in that** the clamping device, at least surfaces or edges thereof can engage at least a part of the writing member for a detachable connection with at least a part of the writing member.
- 15 17. Combination according to any of the preceding claims, **characterised in that** the writing member, at least surfaces or edges thereof can engage at least a part of the clamping device for a detachable connection with at least a part of the clamping device.
- 20 18. Combination according to any of the preceding claims, **characterised in that** the writing member, at least a part thereof is provided with a male part for a detachable connection with a female part of the clamping device.
- 25 19. Combination according to any of the preceding claims, **characterised in that** the writing member, at least a part thereof is provided with a female part for a detachable connection with a male part of the clamping device.
- 30 20. Combination according to any of the preceding claims, **characterised in that** the detachable connection comprises a clamping connection.
21. Combination according to any of the preceding claims, **characterised in that** the detachable connection comprises a click feature.

22. Combination according to any of the preceding claims,
characterised in that the writing tip is situated at least partially or
entirely within the area of the clamping device.
- 5 23. Combination according to any of the preceding claims,
characterised by a cap for closing off the writing tip.
24. Combination according to any of the preceding claims 11 - 13,
characterised in that the cap for closing off the writing tip is
10 integrated in the detachable part of the clamping device.
25. Combination according to any of the preceding claims,
characterised in that the writing member comprises an ink reservoir
which is connected to the writing tip.
- 15 26. Combination according to any of the preceding claims,
characterised in that the clamping device comprises an ink
reservoir which is connected to the writing tip.
- 20 27. Combination according to any of the preceding claims, apparently
intended for use as pencil, ball pen, fountain pen, calligraphing pen,
felt-tip, fine-liner, stylus, marker, highlighter marker, scent pen,
wasco, correction liquid such as Tipp-Ex®, glue-pen or paint-pen.
- 25 28. Clamping device, **apparently** intended for use in a combination
according to any of the preceding claims, **characterised in that** the
clamping device features the possibility to enter into detachable
connection with a separate commercially available writing member.
- 30 29. Combination according to any of the preceding claims, **apparently**
intended for use in a combination with books or pages therein,
stencils, sheets of paper, cardboard, synthetic or other material,
handles or straps of bags, pockets of shirts or other parts of articles
of clothing.
- 35

30. Clamping device, **apparently** intended for use in a combination according to claim 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27 or 29.
- 5 31. Clamping device, **apparently** intended for use in a combination according to any of the preceding claims, the clamping device featuring the possibility to enter into a detachable connection with a separate commercially available writing member.
- 10 32. Combination according to any of the preceding claims, **characterised in that** the term 'writing member' is replaced by the term 'member'.